

In the claims:

1. (currently amended) A method of enhancing the rendering of pixels in the case of opcoder comprising the steps of:

determining maximum and minimum values of index of normal table area of a lookup table, and expanding the lookup table ~~over all values of index~~ above and below said maximum and minimum values of said index.

2.(currently amended) The method of Claim 1 wherein the expanding step includes the step of replicating the highest value if the index is above the normal table value.

3. (cancel)

4. (original) The method of Claim 1 wherein the expanding step includes the step of replicating the lowest value if the index is below the normal table area.

5. (currently amended) A printer comprising:

a printing device;

a printer controller for controlling said printing device, said printer controller including means for interpreting responsive to each of source language to translate into machine language and then execute and wherein a figure to be printed is divided into graphics rendering primitives and means for rendering where each and every pixel in the primitive is a function of its position the primitive, said means for rendering includes a lookup table that includes opcode values over all values of indexes wherein the index into the lookup table is calculated for every pixel using a base value and a gradient in both x and y ~~directories~~ directions and said means for providing opcode values for all values

of indexes includes determining maximum and minimum values of index of normal table area of a lookup table, and expanding the lookup table above and below said maximum and minimum values of said index by replicating the highest value if the index is above the normal table value and replicating the lowest value if the index is below the normal table area

6. (currently amended) A raster image processor for preparing data for raster output comprising:

an interpreter for translating source language into machine language and dividing figure drawn into primitives; and

a lookup table for the entire range of index values; said lookup table of said rendering subsystem has its highest and lowest values replicated above and below the normal table indexes so as to provide lookup table values for the entire range of indexes.

7. (cancel)